

Live the moment!

PASSION FOR HOME









CONTENT

KITCHEN	5
Kitchen Ware	6-8
Kitchen Scales	9–17
Kitchen Aids	18–22
LIFE	23
Indoor Climate & Weather	24-27
Alarm Clocks & Radios	28-32
Special Scales	33
Travelling Companions	34-35
Baby Scales	36
BATHROOM	37
Body Analyser Scales	38-39
Digital Bathroom Scales	40-46
Cosmetics	47
Mechanical Bathroom Scales	48-49
Bulletin Board	50



A QUESTION of freshness

New products cleverly wired: prepared with a meat grinder, a vegetable grater and a spice and coffee grinder, now there is not just food, but soul food. The recipe? Take many market-fresh ingredients and prepare heavenly burgers, crunchy vegetable bowls, spicy espresso and infinitely more.

ELECTRIC GRATER

Crushing without pre-cutting – ideal for vegetables, fruits, hard cheese or nuts


CASING	stainless steel and ABS plastic
OPERATION	press button, bayonet cap
FUNCTIONS	slicing, rasping, grating different foods (e.g. hard cheese, nuts, carrots, apples, cucumbers, etc.); non-slip footing using rubberised feet; integrated cable rewind
ACCESSORIES	four drum inserts (fine grater fine rash, coarse rash

WEIGHT

fine edge), rammer

MAXIMUM
OUTPUT
200 / 500 watt 205 x 150 x 283 1.48 kg

SIZE IN MM





NOMINAL /

KA 1802 stainless steel











ELECTRIC MEAT GRINDER

Powerful and versatile – 2,000 watts of peak power in a first-class aluminium casing

CASING	aluminium, black lacquered		
OPERATION	rotary knob, bayonet cap		
FUNCTIONS	powerful reversible motor; two adjustable speed levels; two-piece cutting set consisting of a knife and a perforated disc; firm footing using four rubberised feet (the rear two as suction cups)		
ACCESSORIES	rammer, 3 perforated discs (3, 5 and 8 mm), sausage spout, kebbe attachment, pastry attachment		
NOMINAL/ MAXIMUM OUTPUT	MEAT OUTPUT	SIZE IN MM	WEIGHT
800 / 2,000 watt	2,5 kg / min.	370 x 180 x 316	5.3 kg




KA 1801 black



Wonderfully suitable for everyday use: the attachment is cleaned and mounted in no time thanks to the clever bayonet quick release fastener.





LEONIE

Perfectly shaped – extremely flat one-piece plastic body

WEIGHING SURFACE	ABS plastics			
DISPLAY/SIZE	LCD, 60 x 35 mm			
OPERATION	sensor touch			
FUNCTIONS	add and weigh feature (tare function); overload indicator; battery status indicator; automatic power-off			
CAPACITY	GRADUATION	SIZE IN MM	UNITS	
5 kg	1 g	170 x 220 x 9	g, lb.oz	



KE 1800-1 red



KE 1800-2 yellow



KE 1800-3 grey



KE 1800-4 black





KITCHEN

ANJA

Well rounded – stainless steel kitchen scale with temperature indicator

WEIGHING SURFACE	stainless steel			
DISPLAY/SIZE	LCD, 43 x 20 mm			
OPERATION	press buttons			
FUNCTIONS	ambient temperature indication in standby mode; add and weigh feature (tare function); overload indicator; battery status indicator; automatic power-off			
CAPACITY	GRADUATION	SIZE IN MM	UNITS	
5 kg	1 g	Ø 165 x 22	g, lb.oz	





KE 854 stainless steel

ALESSIA

Weighing with verve – stainless steel weighing surface with elegant lines $\,$

WEIGHING SURFACE	brushed stainless steel			
DISPLAY/SIZE	LCD, 63 x 29 mm			
OPERATION	sensor touch			
FUNCTIONS	anti-fingerprint-coating; add and weigh feature (tare function); overload indicator; battery status indicator; automatic power-off			
CAPACITY	GRADUATION	SIZE IN MM	UNITS	
5 kg	1 g	190 x 190 x 15	g, ml, oz, lb.oz, fl.oz	



KE 1600 stainless steel





DENISE

Smart stainless steel scale with extra-low profile: 10 mm only

WEIGHING SURFACE	brushed stainless steel		
DISPLAY/SIZE	LCD, 60 x 35 mm		
OPERATION	press buttons		
FUNCTIONS	add and weigh feature (tare function); overload indicator; battery status indicator; automatic power-off		
CAPACITY	GRADUATION	SIZE IN MM	UNITS
5 kg	1 g	160 x 225 x 11	g, lb.oz



KE 874 stainless steel





For big tasks – king-size kitchen scale with 15 kg maximum load

WEIGHING SURFACE	brushed stainless steel		
DISPLAY/SIZE	LED, 61 x 20 mm, mirrored, white digits		
OPERATION	sensor touch		
FUNCTIONS	anti-fingerprint-coating; add and weigh feature (tare function); auto-hold function; overload indicator; battery status indicator; automatic power-off		

 CAPACITY
 GRADUATION
 SIZE IN MM
 UNITS

 15 kg
 1 g
 310 x 265 x 25
 g, oz, lb.oz



KE 1601 stainless steel



KITCHEN

KITCHEN SCALES WITH CANDY PRINT

Living trend "colour" – sweet dreams in the kitchen

WEIGHING SURFACE	safety glass
DISPLAY/SIZE	LCD, 62 x 28 mm
OPERATION	press buttons
FUNCTIONS	add and weigh feature (tare function); overload indicator; battery status indicator; automatic power-off

CAPACITY	GRADUATION	SIZE IN MM	UNITS
5 kg	 1 g	188 x 218 x 18	g, ml, lb.oz, fl.oz





CAKEPOPS KE 1719 | Britney

LIEBESPERLEN KE 1720 | Candy



CUPCAKES KE 1721 | Tiffany

LILOU

The fantastic world of baking – young kitchen scale with a romantic design for trendy kitchens

WEIGHING SURFACE	safety glass			
DISPLAY/SIZE	LCD, 65 x 28 mm			
OPERATION	press buttons			
FUNCTIONS	add and weigh feature (tare function); overload indicator; battery status indicator; automatic power-off			
CAPACITY	GRADUATION	SIZE IN MM	UNITS	
5 kg	1 g	170 x 230 x 14	g, ml, lb.oz, fl.oz	







KITCHEN SCALES WITH LIFESTYLE PRINT

Living trend "home" – more cosiness in the kitchen

WEIGHING SURFACE	safety glass		
DISPLAY/SIZE	LCD, 46 x 23 mm		
OPERATION	sensor touch		
FUNCTIONS	add and weigh feature (tare function); overload indicator; battery status indicator; automatic power-off		
CAPACITY	GRADUATION	SIZE IN MM	UNITS
5 kg	1 g	145 x 200 x 17	g, ml, oz, lb.oz, fl.oz



PIGLET KE 1722 I Bertha



ANCHOR KE 1728 | Stine





COW KE 1603 I Inka



KITCHEN

SLIM

Colourful kitchen scale of slender shape – only 12 mm in height

safety glass		
LCD, 55 x 25 mm		
sensor touch		
add and weigh feature (tare function); overload indicator; battery status indicator; automatic power-off		
GRADUATION	SIZE IN MM	UNITS
1 g	150 x 230 x 15	g, ml, lb.oz, fl.oz
	LCD, 55 x 25 mm sensor touch add and weigh fe- battery status ind	LCD, 55 x 25 mm sensor touch add and weigh feature (tare function); battery status indicator; automatic pov GRADUATION SIZE IN MM





FRANZI

Compact kitchen scale for private cooking workshops

WEIGHING SURFACE	safety glass		
DISPLAY/SIZE	LCD, 58 x 27 mm		
OPERATION	press buttons		
FUNCTIONS	add and weigh feature (tare function); overload indicator; battery status indicator; automatic power-off		,
CAPACITY	GRADUATION	SIZE IN MM	UNITS
5 kg	1 g	182 x 178 x 23	g, ml, lb.oz, fl.oz







CLEO

One for all – simple and beautiful for every kitchen style

WEIGHING SURFACE	safety glass		
DISPLAY/SIZE	LCD, 62 x 28 mm		
OPERATION	press buttons		
FUNCTIONS	add and weigh feature (tare function); overload indicator; battery status indicator; automatic power-off		
CAPACITY	GRADUATION	SIZE IN MM	UNITS

gold



CARLA

grey

red

KE 1713

white

Compact design with retro charm

KE 1714

silver

		safety glass	
LCD, Ø 45 mm, blue lit			
sensor touch			
add and weigh feature (tare function); overload indicator; battery status indicator; automatic power-off			
GRADUATION	SIZE IN MM	UNITS	
1 g	150 x 205 x 30	g, ml, lb.oz, fl.oz	
	sensor touch add and weigh fe battery status ind	sensor touch add and weigh feature (tare function); battery status indicator; automatic pov GRADUATION SIZE IN MM	

white



KITCHEN

PAULA

Baking pleasure at home – mechanical bowl scale with grip

3 kg	25 g	Ø 215 x 185	g, kg, lb
CAPACITY	GRADUATION	SIZE IN MM	UNITS
FUNCTIONS	weighing bowl with grip and rubberised stand; dishwasher safe; manually adjustable zero position (tare function)		
OPERATION	mechanical		
DISPLAY/SIZE	clear full view dial		
BOWL	ABS plastics, 2.5 l		





ANGELINA

Digital bowl scale – with extra large mixing bowl

BOWL	ABS plastics, 3 l		
DISPLAY/SIZE	LCD, 45 x 15 mm		
OPERATION	press buttons		
FUNCTIONS	weighing bowl dishwasher-safe; add and weigh feature (tare function); overload indicator; battery status indicator; automatic power-off		
CAPACITY	GRADUATION	SIZE IN MM	UNITS
5 kg	1 g	Ø 220 × 120	g, oz



KE 707 white






HANNA

 $Splendid\ prospects\ for\ stainless\ steel-rust-free,\ hygienic\ and\ sustainable$

BOWL	brushed stainless steel, 2.25 l		
DISPLAY/SIZE	LCD, 50 x 25 mm, blue lit		
OPERATION	sensor touch		
FUNCTIONS	weighing bowl made of stainless steel and dishwasher-safe; add and weigh feature (tare function); overload indicator; battery status indicator; automatic power-off		
CAPACITY	GRADUATION	SIZE IN MM	UNITS





stainless steel



ANNA

Grand old lady – nostalgic scale with bowl in charming country house style with 8 kg weighing capacity

BOWL	polished stainless steel, 2.5 l		
DISPLAY/SIZE	clear full view dial, Ø 135 mm		
OPERATION	mechanical		
FUNCTIONS	weighing bowl dishwasher-safe; massive metal weighing mechanism; manually adjustable zero position (tare function)		
CAPACITY	GRADUATION	SIZE IN MM	UNITS
8 kg	50 g	Ø 245 x 283	g, kg




cream





KITCHENAIDS



BBQ-THERMOMETER

The classic – accuracy well-done

stainless steel (SS340), heat resistant (0°-300°C)

MEASURINGROD

stainless steel, insertion depth of 118 mm

FUNCTIONS

display of core and oven temperature in °C; clip for mounting in the oven; clear dial with illustration of recommended core temperatures for poultry, pork, lamb, veal and beef

TEMPERATURE

TEMPERATURE MEAT OVEN

UNITS

SIZE IN MM

50°-90°C

50°-300°C

ca. 76 x 125



stainless steel





REMOTE BBQ-THERMOMETER

Perfectly cooked with remote temperature control

CASING	ABS plastics			
MEASURINGROD	stainless steel, insertion depth of 160 mm heat resistant cable, length of cable 1 m			
BASE STATION	LCD touch di	LCD touch display, 80 x 53 mm		
OPERATION	touch			
RECEIVER	LCD, 20 x 12	mm, belt clip, LED rece	eiving indicator light	
FUNCTIONS	LCD, 20 x 12 mm, belt clip, LED receiving indicator light visual and audible temperature alarm on the base station and receiver when the target temperature is reached; selection of preset meat types and core temperatures according to degrees of doneness or individual temperature settings on the base station; meat types: beef, lamb, veal, pork, chicken, turkey, mincemeat; 5 degrees of doneness: rare, medium rare, medium, medium well, well; transmission range 60 m			
TEMPERATURE	UNITS	SIZE BASE STATION IN MM	SIZE RECEIVER	

107 x 79 x 45

77 x 45 x 19





-50°-300°C

BBQ 1408 black-white

BBQ-THERMOMETER

UNITS

°C,°F

°C,°F

 ${\it Excellent steaks guaranteed-preset cooking levels lead to perfect results}$

CASING	ABS plastics
MEASURINGROD	stainless steel, insertion depth of 160 mm heat resistant cable, length of cable 1 m
DISPLAY	LCD touch colour display, illuminated
OPERATION	touch
FUNCTIONS	integrated timer function, audible temperature alarm when the target temperature is reached; selection of preset meat types and core temperatures according to degrees of doneness or individual temperature settings; meat types: beef, lamb, veal, pork, chicken, turkey, mincemeat; 5 degrees of doneness: rare, medium rare, medium, medium well, well; stand and magnetic suspension

SIZE IN MM

76 x 76 x 25



TEMPERATURE

-20°-250°C



KITCHENAIDS

MECHANICAL KITCHEN TIMER

Viewing quality – always precisely on the dot with a remaining time indicator

CASING	brushed stainless steel, ABS plastics, rubberised
DISPLAY	round dial, time-remaining indicator
OPERATION	wind-up mechanism
FUNCTIONS	acoustic signal after elapsed time; red, clearly visible indicator for remaining time; convenient magnetic suspension

TIME GRADUATION UNITS SIZE IN MM Ø 78 x 31 59 min. minutes







red

white

MECHANICAL KITCHENTIMER

Classic short-term timer with wind-up system

CASING	brushed stainless steel, ABS plastics	
DISPLAY	round dial	
OPERATION	wind-up mechanism	
FUNCTIONS	acoustic signal after elapsed time; convenient magnetic suspension	
TIME GRADUATION	UNITS	SIZE IN MM
59 min.	minutes	Ø 96 x 36



black





MECHANICAL KITCHEN TIMER

Good and proper – for perfect timing in kitchen and householdt

CASING	ABS plastics, rubberised
DISPLAY	round dial, time-remaining indicator
OPERATION	wind-up mechanism
FUNCTIONS	acoustic signal after elapsed time; red, clearly visible indicator for remaining time; convenient magnetic suspension

TIME GRADUATION UNITS SIZE IN MM 59 min. Ø 60 x 35 minutes





TD 1704 rose



TD 1705 blue



TD 1706 green



TD 1707 cream







TD 1710





KITCHENAIDS



DIGITAL KITCHENTIMER

If you are looking for precision – optical display of seconds in DotMatrix style

CASING ABS plastics DISPLAY LCD, Ø 36 mm, dot matrix digits OPERATION press buttons, wind-up mechanism **FUNCTIONS** audible signal after time-out; stopwatch function; marking

the remaining time (minutes as digits, seconds as a dot matrix remaining time indicator); automatic power-off; magnetic suspension

TIME GRADUATION UNITS SIZE IN MM 99 min./59 sec. minutes, seconds Ø 67 x 22



TD 1800-1

white



black





red



yellow



grey







DIGITAL KITCHENTIMER

Flatscreen – the world's thinnest timer

CASING	ABS plastics, rubberised
DISPLAY	LCD, 82 x 32 mm
OPERATION	press buttons
FUNCTIONS	display time; acoustic signal after elapsed time; stopwatch function; convenient magnetic suspension

TIME GRADUATION SIZE IN MM UNITS 99 min./59 sec. minutes, seconds 101 x 70 x 11



white






black







GOOD climate

Our pioneer in the matter of climate change – the USB humidifier. For good breathing air, wherever you are: at home, in the car or in the office. The proven hygrometers and weather stations also observe the climate and warn against mould or storms.

USB HUMIDIFIER

Compact and leakproof – refreshed room air thanks to a fine cold mist

CASING ABS plastics OPERATION press button CONTAINER 160 ml, leakproof **FUNCTIONS** fine cold mist due to high frequency vibrations; two adjustable mist levels with status display (continuous, 10-second interval); connection to common USB sources (computer,

power bank, etc.); automatic power-off; USB cable included

OPERATION TIME SIZE IN MM 6 – 10 hours, Ø 78 x 154 depending on the

mist level

HM 1800-1 white









THERMO-/HYGROMETER WITH MOULD ALARM

On the safe side – mould warning at too-high air humidity

ABS plastics	
LCD, 65 x 95 mm	
press buttons	
hygrometer, thermometer visual mould alert; temperature and hygrometer indicator (indoor / memory); programmable upper/lower relative air humidity with alarm at too-high air humidity; 12-hour humidity record; dew point indicator: 0° – 50° C; indication of five different degrees of humidity (too dry, dry, optimal, damp, too damp)	
°C, °F, RH (%)	82 x 136 x 21
	press buttons hygrometer, ther visual mould aler (indoor / memor air humidity with humidity record; indication of five (too dry, dry, opt







white

WS 1701 black

THERMO-/HYGROMETER WITH BAMBOO FRONT

For a healthy indoor climate – monitoring of temperature and air humidity

CASING	ABS plastics, bamboo wood	
DISPLAY/SIZE	LCD, 74 x 52 mm	
OPERATION	press buttons	
INSTRUMENTS	hygrometer, ther	mometer
FUNCTIONS	indication of three different degrees of humidity (too dry, optimal, and too damp); temperature indicator with MIN/MAX; air humidity indicator with MIN/MAX	
TEMPERATURE/ HUMIDITY	UNITS	SIZE IN MM
0°-50°C 20-95%	°C, °F, RH (%)	100 x 81 x 13





LIFE

WEATHER STATION WITH WIRELESS OUTDOOR SENSOR

Weather forecast deluxe – display of barometric pressure and smartphone charging function

WEATHER STATION	ABS plastics, with batteries and mains adaptor, desktop model		
OUTDOOR SENSOR	ABS plastics, weather-resistant, battery operation		
TRANSMISSION RANGE	up to 60 m in an open area		
DISPLAY	LED colour display, two brightness levels		
OPERATION	press buttons		
INSTRUMENTS	barometer, hygrometer, thermometer, DCF radio clock		
FUNCTIONS	barometric weather forecast with trend indicator; barometric pressure indicator (24 h); temperature and hygrometer indicator (indoor and outdoor, trend indicators, memory function); indication of lunar phases; frost alert; temperature alert (outdoor); DCF clock with alarm and snooze function; perpetual calendar (7 languages); coupling of up to 3 outdoor sensors; USB connection for smartphone charging; batteries and main adaptor included		
TEMPERATURE/ HUMIDITY	UNITS	SIZE WEATHER STATION IN MM	SIZE OUTDOOR SENSOR IN MM
-25°-50°C 20-95%	°C, °F, RH (%), mb/hPa, inHg	114 x 187 x 35	40 x 23 x 92





WS 1600 black

WEATHER STATION WITH WIRELESS OUTDOOR SENSOR

Doesn't just predict the weather – smartphone charging function and radio clock included

WEATHER STATION	ABS plastics, with batteries and mains adaptor, desktop model		
OUTDOOR SENSOR	ABS plastics, weather-resistant, battery operation		
TRANSMISSION RANGE	up to 60 m in an open area		
DISPLAY	LED colour displa	ay, two brightness leve	ls
OPERATION	press buttons		
INSTRUMENTS	hygrometer, thermometer, DCF radio clock		
FUNCTIONS	barometric weather forecast; temperature and hygrometer indicator (indoor and outdoor, memory function); frost alert; clock with alarm and snooze function; coupling of up to 3 outdoor sensors; USB connection for smartphone charging; batteries and main adaptor included		
TEMPERATURE/ HUMIDITY	UNITS	SIZE WEATHER STATION IN MM	SIZE OUTDOOR SENSOR IN MM
-25°-50°C	°C, °F, RH (%)	215 x 75 x 30	40 x 23 x 92





WS 1601 black



WEATHER STATION WITH WIRELESS OUTDOOR SENSOR

Smart and clear – large LED display and smartphone charging function included

WEATHER STATION ABS plastics, with batteries and mains adaptor, desktop and wall mounted model OUTDOOR SENSOR ABS plastics, weather-resistant, battery operation TRANSMISSION up to 60 m in an open area RANGE DISPLAY LED colour display, five brightness levels **OPERATION** press buttons INSTRUMENTS barometer, hygrometer, thermometer, DCF radio clock **FUNCTIONS** barometric weather forecast; barometric pressure indicator (12 h); temperature and hygrometer indicator (indoor and outdoor, trend indicators, memory function); indication of lunar phases; frost alert; temperature alert (outdoor); DCF radio clock with alarm and snooze function; outdoor sensor with indication of temperature and hygrometer; perpetual calendar (7 languages); coupling of up to 3 outdoor sensors; USB connection for smartphone charging; batteries and mains adaptor included TEMPERATURE/ UNITS SIZE WEATHER SIZE OUTDOOR









WEATHER STATION WITH WIRELESS OUTDOOR SENSOR

At a glance – keep an eye on all important weather information

WEATHER STATION	ABS plastics, bamboo wood, with batteries and mains adaptor, desktop model		
OUTDOOR SENSOR	ABS plastics, weather-resistant, battery operation		
TRANSMISSION RANGE	up to 60 m in an open area		
DISPLAY	LED colour display, two brightness levels		
OPERATION	press buttons		
INSTRUMENTS	barometer, hygrometer, thermometer, DCF radio clock		
FUNCTIONS	barometric weather forecast; barometric pressure indicator (12 h); temperature and hygrometer indicator (indoor and outdoor, trend indicators, memory function); indication of lunar phases; frost alert; temperature alert (outdoor); DCF radio clock with alarm and snooze function; perpetual calendar (8 languages); batteries and mains adaptor included		
TEMPERATURE/ HUMIDITY	UNITS	SIZE WEATHER STATION IN MM	SIZE OUTDOOR SENSOR IN MM

165 x 122 x 53

40 x 23 x 92

°C, °F, RH (%),

inHg/mmHg

mb/hPa,

-20°-60°C

20 - 95 %





WS 1703 bamboo



LIFE

WEATHER STATION WITH WIRELESS OUTDOOR SENSOR AND RADIO ALARM CLOCK

Weather and radio – all-in-one for the bedside table

°C, °F, RH (%)

CASING	ABS plastics
DISPLAY	LED, 110 x 50 mm, white digits
OPERATION	press buttons, rotary knob
INSTRUMENTS	barometer, thermometer, hygrometer, DCF radio signal
FUNCTIONS	barometric weather forecast; indication of air humidity (indoor) and temperature (indoor and outdoor); alarm clock (dual alarm) using pre-set radio stations or alarm sound, with snooze function; perpetual calendar (7 languages); outdoor sensor

TEMPERATURE/ UNITS SIZE WEATHER SIZE OUTDOOR HUMIDITY STATION IN MM SENSOR IN MM

with indication of temperature; coupling of up to 3 outdoor sensors; USB connection for smartphone charging; 12/24 hour time display; radio with 4 memory slots and automatic station

140 x 136 x 90

50 x 97 x 32



-20°-50°C

20-95%







RADIO ALARM CLOCK WITH SMARTPHONE CHARGING FUNCTION

Bright and alert – listen to the radio, but not just for waking up

CASING	ABS plastics
DISPLAY LCD, 64 x 37 mm, blue lit	
OPERATION	press buttons, sensor touch
INSTRUMENTS	DCF radio signal, thermometer, hygrometer
FUNCTIONS	12/24 hour time display; indoor temperature indicator; indoor hygrometer; two USB connections for smartphone charging; calendar with date and time indicators; alarm clock (dual alarm) using pre-set radio stations or alarm sound, with snooze function; automatic station search in radio mode (FM); sleep timer

TIME GRADUATION TEMPERATURE/
HUMIDITY

hours, minutes 0°-50°C °C, °F, RH (%) 145 x 85 x 71 20-95 %













The only thing they cannot do is to make coffee - our alarm clocks with weather data, Bluetooth speakers or radio reception. Prefer a morning ritual deluxe? Our new wake-up light wakes you up with a simulated sunrise and nature sounds.



WAKE-UP LIGHT

Greet the day gently - wake up to a simulated sunrise, music or nature sounds

CASING ABS plastics DISPLAY LED, 51 x 36 mm, 4 brightness levels

OPERATION

press buttons, sensor touch

sun and moonrise simulation 30 minutes before acoustic alarm; alarm clock using preset radio stations or 6 natural sounds, with snooze function; FM reception with automatic station search; mood lighting (7 different colours) with adjustable light intensity; adjustable sleep timer for illumination (15, 30, 45, 60 minutes); perpetual calendar with date and day display (7 languages); USB

cable and mains adaptor included

TIME GRADUATION SIZE IN MM

170 x 124 x 160 hours, minutes



FUNCTIONS



LIFE

RADIO-CONTROLLED ALARM CLOCK WITH TEMPERATURE INDICATOR

Small and comfortable – dual-alarm with sensor snooze button

CASING	ABS plastics, bamboo wood		
DISPLAY	LCD, 51 x 44 mm, blue lit		
OPERATION	press buttons		
INSTRUMENTS	DCF radio signal, therr	nometer	
FUNCTIONS	12/24 hour time displa perpetual calendar wi (7 languages); alarm cl	th date and time ind	licators
TIME GRADUATION	TEMPERATURE	UNITS	SIZE IN MM

°C, °F

72 x 72 x 37



hours, minutes



RADIO ALARM CLOCK WITH INTEGRATED BLUETOOTH LOUDSPEAKER

-10°-50°C

Wonderfully multifaceted – wake up with your favourite music, fall asleep with an audio book

CASING	ABS plastics, brushed stainless steel
DISPLAY	LCD, 100 x 32 mm, blue digits, five brightness levels
OPERATION	press buttons, rotary knob
INSTRUMENTS	DCF radio signal, thermometer
FUNCTIONS	12/24 hour time display; indoor temperature indicator; illuminated display; calendar with date and time indicators; alarm clock (dual alarm) using pre-set radio stations or

illuminated display; calendar with date and time indicator; illuminated display; calendar with date and time indicators; alarm clock (dual alarm) using pre-set radio stations or two different alarm sounds, with snooze function; playing of music via integrated radio, or external sources via bluetooth function, micro SD, as well as AUX and USB interfaces; bluetooth 4.0; USB connection for smartphone charging

TIME GRADUATION TEMPERATURE UNITS SIZE IN MM
hours, minutes -10°-60°C °C, °F 158 x 123 x 120







RADIO-CONTROLLED ALARM CLOCK WITH TEMPERATURE AND DATE INDICATORS

Easy snoozing – thanks to an extra-large snooze button

CASING	ABS plastics, bamboo wood	
DISPLAY	LCD, 128 x 44 mm, blue lit	
OPERATION	press buttons	
INSTRUMENTS	DCF radio signal, thermometer	
FUNCTIONS	12/24 hour time display; indoor temperature indicator; perpetual calendar with date and time indicators; indication of lunar phases; alarm clock with snooze function; automatic and manual time setting	

TIME GRADUATION	TEMPERATURE	UNITS	SIZE IN MM
hours, minutes, seconds	-10°-60°C	°C, °F	126 x 87 x 40





With the charm of the 70s – precise radio-controlled alarm clock in retro design

CASING	ABS plastics
DISPLAY	LCD with plastic cover, 80 x 37 mm; orange illuminated
OPERATION	press buttons, rotary knob
INSTRUMENTS	DCF radio signal
FUNCTIONS	clock dial in flip number design, 12/24 h display; alarm clock with snooze function; automatic and manual time setting

TIME GRADUATION SIZE IN MM hours, minutes 127 x 60 x 59



CK 1720 white



CK 1720-1 orange



CK 1720-2 yellow



CK 1720-3 grey










LIFE



COMPACT RADIO

Rock around the clock – 4-in-1 radio plus alarm clock, thermometer and calendar

CASING	ABS plastics, MDF
DISPLAY	LCD, 65 x 46 mm
OPERATION	press buttons
INSTRUMENTS	thermometer
FUNCTIONS	radio reception (FM); automatic station search; alarm clock (dual alarm) using pre-set radio stations or two different alarm sounds, with snooze function:

TIME GRADUATION TEMPERATURE UNITS SIZE IN MM hours, minutes -9°-50°C °C, °F 184 x 115 x 58

perpetual calendar; temperature indicator (inside)










BRIDGET

Ideal for hobby and office – measuring and weighing in one

WEIGHING SURFACE	safety glass		
DISPLAY/SIZE	LCD, 65 x 35 mm		
OPERATION	sensor touch		
FUNCTIONS	add and weigh feature (tare function); two-sided measuring tape; retractable hanging provision; overload indicator; battery status indicator; automatic power-off		
CAPACITY	GRADUATION	SIZE IN MM	UNITS
20 kg	1 g	210 x 297 x 19	g, kg, oz, lb





DIGITAL POCKET SCALE

Small but capable – six weight units, with precise weight determination

WEIGHING SURFACE	brushed stainless steel		
DISPLAY/SIZE	LCD, 36 x 18 mm, blue lit		
OPERATION	press buttons		
FUNCTIONS	add and weigh feature (tare function); on/off switch for display illumination; overload indicator; battery status indicator; automatic power-off		
CAPACITY	GRADUATION	SIZE IN MM	UNITS
110 g	0.01 g	100 x 130 x 20	g, ct, gn, oz, ozt, dwt





Cover suitable as a weighing dish

LIVE

DIGITAL LUGGAGE SCALE

Weighing without battery – thanks to environmentally friendly dynamo technology

CASING	ABS plastics			
DISPLAY	LCD, 24 x 20 mm			
OPERATION	press button			
FUNCTIONS	strap length 180 mm; automatic hold function; tare function; overload indicator; charging level indicator; automatic power-off			
CAPACITY	GRADUATION	SIZE IN MM	UNITS	
50 kg	50 g	148 x 33 x 40	kg, lb	









The dynamo principle: simply shaking and weighing with kinetic energy – at any time.

DIGITALE LUGGAGE SCALE

Weight in hand – elegant luggage scale with blue backlit display

50 kg	100 g	147 x 30 x 46	g, kg, oz, lb
CAPACITY	GRADUATION	SIZE IN MM	UNITS
FUNCTIONS	belt length 210 mm; automatic hold function; add and weigh feature (tare function); overload indicator; battery status indicator; automatic power-off		
OPERATION	press button		
DISPLAY/SIZE	LCD, 30 x 13 mm, blue lit		
CASING	stainless steel, ABS plastics		







MOBILE BLUETOOTH SPEAKER

Box to go - from camping to construction site

CASING ABS plastics, rubberised, waterproof to IPX6 protection rating

OPERATION press buttons, Bluetooth

FUNCTIONS audio playback through

audio playback through external sources via Bluetooth 4.1 (range approx. 10–15 m) and AUX interface; two stereo speakers (2 x 5 watt); hands-free set with noise cancelling; protected from rainwater or short-term flooding (IPX6 protection rating); USB cable, AUX cable, carabiner

included

 POWER
 BATTERY
 SIZE IN MM


 2 x 5 watt
 2,200 mAh
 157 x 47 x 69

 lithium battery
 157 x 47 x 69



khaki-orange





LIFE







Quickly stowed away in the closet: light and flat, with practical recessed grips

DIGITAL BABY SCALE

Space saving and precise – for monitoring the food intake of infants


WEIGHING SURFACE	ABS plastic		
DISPLAY/DIMENSIONS	LCD, 60 x 21 mm, white digits		
OPERATION	press buttons		
FUNCTIONS	gently arched and generous weighing bowl; suitable for babies and toddlers; integrated recessed grips at the bottom; firm footing using rubberised feet; tare function; overload indicator; battery status indicator; automatic power-off		
CAPACITY	GRADUATION	SIZE IN MM	UNITS
20 kg	10 g	557 x 320 x 35	kg, lb, st







BE 1817 white



STRONG performance

Weighing can be a tender subject. That is why our digital scales not only offer convenience and precise results, but also little extras for a good mood: chic styling, sustainable material, XXL displays or weight announcement via speakers.

MARLEEN


Analysis with style – with filigree electrodes made of brushed stainless steel

WEIGHING SURFACE	safety glass
DISPLAY/DIMENSIONS	LCD, 73 x 37 mm
ANALYSIS	body fat, body water and muscle mass in precise 0.1% increments
CALCULATION	bone mass fraction in 100 g increments, visceral fat, BMR (calorie requirement), BMI
MEMORY SPACE	10 users
OPERATION	step-on-technology
FUNCTIONS	overload indicator, battery status indicator, automatic power-off
CAPACITY	GRADUATION SIZE IN MM UNITS












BARBARA

Robust and sustainable – weighing platform made of FSC-certified bamboo

WEIGHING SURFACE	bamboo wood		
DISPLAY/SIZE	LCD, 83 x 45 mm, white digits		
ANALYSIS	body fat, body water and muscle mass in precise 0.1% steps		
CALCULATION	bone mass in precise 100 g steps		
MEMORY SPACE	10 users		
OPERATION	tap-on technology; sensor touch		
FUNCTIONS	overload indicator; battery status indicator; automatic power-off		
CAPACITY	GRADUATION	SIZE IN MM	UNITS
150 kg	100 g	300 x 300 x 34	kg, lb, st





bamboo

TABEA

Pretty slim – extra flat body analyser scale: only 17 mm in height

WEIGHING SURFACE	safety glass		
DISPLAY/SIZE	LCD, 74 x 35 mm		
ANALYSIS	body fat, body water and muscle mass in precise 0.1% steps		
CALCULATION		bone mass in precise 100 g steps; daily calorie requirement (BMR)	
MEMORY SPACE	12 users		
OPERATION	step-on technology, sensor touch		
FUNCTIONS		overload indicator; battery status indicator; automatic power-off	
CAPACITY	GRADUATION	SIZE IN MM	UNITS
180 kg	100 g	300 x 300 x 17	kg, lb, st



BA 1300 silver-black





Top rating from the "Stiftung Warentest" consumer research and testing organisation: Mark "Good".

BAD

AURORA

Marble living trend – classic and elegant in white or black

100 g

WEIGHING SURFACE	safety glass		
DISPLAY/SIZE	LCD, 73 x 28 mm		
OPERATION	step-on technology		
FUNCTIONS	overload and battery status indicator; automatic power-off		
CAPACITY	GRADUATION	SIZE IN MM	UNITS

300 x 300 x 20





kg, lb, st



INA

180 kg

Hey, I'm talking to you – talking bathroom scale with extra-high weighing capacity

WEIGHING SURFACE	safety glass		
DISPLAY/SIZE	XXL LCD display, 92 x 49 mm		
OPERATION	step-on technology		
FUNCTIONS	overload and battery status indicator; automatic power-off; announcement of weight via integrated loudspeaker (German)		
CAPACITY	GRADUATION	SIZE IN MM	UNITS
250 kg	100 g	310 x 310 x 26	kg, lb





Also ideal for older people



KATHARINA

The Great – the extra-large XXL display will not miss a single gramme

WEIGHING SURFACE safety glass

DISPLAY/DIMENSIONS XXL LCD, 106 x 91 mm

OPERATION step-on-technology overload indicator, battery status indicator, automatic power-off

CAPACITY GRADUATION SIZE IN MM UNITS



180 kg



Also ideal for older people

YLVIE

 $Transparent\ lightness-noble\ black\ and\ white\ with\ a\ glass\ weighing\ surface$

WEIGHING SURFACE	safety glass		
DISPLAY/DIMENSIONS	LCD, 74 x 28 mm		
OPERATION	step-on-technology		
FUNCTIONS	overload indicator, battery status indicator, automatic power-off		
CAPACITY	GRADUATION	SIZE IN MM	UNITS
180 kg	100 g	300 x 300 x 23	






CHLOE

Versatile appearance – compact bathroom scale with different elegant surfaces and space saving dimensions

WEIGHING SURFACE	brushed stainless steel, imitation wood		
DISPLAY/SIZE	LCD, 74 x 34 mm, blue lit (BE 1504)		
OPERATION	step-on technology		
FUNCTIONS	overload indicator; battery status indicator; automatic power-off		
CAPACITY	GRADUATION	SIZE IN MM	UNITS
150 kg	50 g	275 x 275 x 15	kg, lb





LEEVKE

Classy – attractive bathroom scale with elegant silver surface and a weighing capacity of 180 kg

WEIGHING SURFACE	safety glass		
DISPLAY/SIZE	LCD, 72 x 34 mm		
OPERATION	step-on technology		
FUNCTIONS	overload and battery status indicator; automatic power-off		
CAPACITY	GRADUATION	SIZE IN MM	UNITS
180 kg	100 g	300 x 300 x 16	kg, lb, st



silver





LOREEN

Maximum grip – stylish bathroom scale with anti-slip silicone surface for a secure foothold, even with wet feet

180 kg	100 g	302 x 302 x 18	kg, lb, st
CAPACITY	GRADUATION	SIZE IN MM	UNITS
FUNCTIONS		verload indicator; battery status indicator; utomatic power-off	
OPERATION	step-on technology		
DISPLAY/SIZE	75 x 29 mm		
WEIGHING SURFACE	safety glass, silico	n mat	





OLIVIA

Energetic – glass scale with a classic transparent surface

WEIGHING SURFACE	safety glass		
DISPLAY/SIZE	LCD, 62 x 27 mm		
OPERATION	step-on technology		
FUNCTIONS	overload indicator; battery status indicator; automatic power-off		
CAPACITY	GRADUATION	SIZE IN MM	UNITS
180 kg	100 g	280 x 280 x 24	kg, lb, st



BE 1510 silver



LOTTA

Glass scale with trendy tribal motif

100 g

WEIGHING SURFACE safety glass DISPLAY/SIZE LCD, 74 x 54 mm OPERATION step-on technology **FUNCTIONS** overload indicator; battery status indicator; automatic power-off CAPACITY GRADUATION UNITS SIZE IN MM

302 x 302 x 17

kg, lb



180 kg





TONI

Almost weightless – thanks to a weighing surface made of easy-care aluminium

WEIGHING SURFACE aluminium, rubberised frame DISPLAY/SIZE LCD display, Ø 75 mm, white digits OPERATION step-on technology FUNCTIONS overload and battery status indicator; automatic power-off GRADUATION CAPACITY SIZE IN MM UNITS 180 kg 100 g 332 x 305 x 18 kg, lb, st







IRIS

Weighing with ambience – light up your weight

WEIGHING SURFACE	safety glass		
DISPLAY/SIZE	LED, Ø 60 mm, illuminated, white digits		
OPERATION	step-on technology		
FUNCTIONS	round weighing surface; blue LED illumination of the inner weighing surface during weighing; overload and battery status indicator; automatic power-off		
CAPACITY	GRADUATION	SIZE IN MM	UNITS
180 kg	100 g	Ø 330 x 27	kg, lb








LUNA

Modern times – retro-style meets modern bamboo

WEIGHING SURFACE	safety glass or bamboo wood LCD & analogue, Ø 167 mm, illuminated step-on technology 24h-remember-feature for comparable measurements (only BE 1500); overload indicator; battery status indicator; automatic power-off		
DISPLAY/SIZE			
OPERATION			
FUNCTIONS			
CAPACITY	GRADUATION	SIZE IN MM	UNITS
180 kg	100 g	BE 1500: 308 x 394 x 29 BE 1719:	kg, lb









MARTINA

Pretty eco-friendly – weighing platform made of genuine FSC-certified bamboo

WEIGHING SURFACE	bamboo wood				
DISPLAY/SIZE	LCD, 83 x 45 mm, illuminated				
OPERATION	tap-on technology				
FUNCTIONS	overload indicator; battery status indicator; automatic power-off				
CAPACITY	GRADUATION	SIZE IN MM	UNITS		
150 kg	100 g	300 x 300 x 34	kg, lb, st		



BE 925 bamboo







MAKE-UP MIRROR

Facial care in the best light – shadowless illumination for make-up, shaving or styling of the eye area


CASING	ABS plastics
LAMP	LED
OPERATION	sensor touch
FUNCTIONS	dimmable ring illumination for shadow-free illumination; 5x magnification; mirror individually tiltable at an angle of 90°; non-slip pad; USB cable included

OPERATION TIME SIZE IN MM

1.5 h 170 x 125 x 246



white





CLINICA

Classical doctor scale with extra-large weighing platform and corrosion protection – also suitable for professional use

WEIGHING SURFACE	robust metal body, scratch-resistant finish, non-slip rubberised big and clear full view dial				
DISPLAY					
FUNCTIONS	manually adjustable zero position; scratch-resistant finish; extra-large weighing platform				
CAPACITY	GRADUATION	SIZE IN MM	UNITS		
160 ka	1 ka	325 x 480 x 108	ka		



black

Top rating from the "Stiftung Warentest" consumer research and testing organisation: Best mechanical scale/bathroom scales





VICTORIA

Mechanical bathroom scale with nostalgic desig

 WEIGHING SURFACE
 robust metal body, scratch-resistant finish, non-slip rubberised

 DISPLAY
 big and clear full view dial

 FUNCTIONS
 manually adjustable zero position

 CAPACITY
 GRADUATION
 SIZE IN MM
 UNITS

 136 kg
 1 kg
 285 x 430 x 83
 kg





BM 701 white

BM 708 black



Mechanical bathroom scale with eye catcher – it's the lifted round dial

 $\frac{\text{WEIGHING SURFACE}}{\text{DISPLAY}} \quad \frac{\text{stainless steel, non-slip rubberised}}{\text{lifted full view dial}}$

FUNCTIONS manually adjustable zero position

 CAPACITY
 GRADUATION
 SIZE IN MM
 UNITS

 160 kg
 1 kg
 275 x 345 x 113
 kg



BM 702 black



ADE

BULLETIN BOARD



Introduction time!

ADE's new FITvigo activity trackers are coming: the AM 1800/01 tracks steps, calories and distance, monitors pulse and sleep, and offers different sport modes.

Thanks to convenient smart notifications, incoming

calls and messages can easily be checked directly on the display ... And as the tracker looks so slim and elegant on the wrist, it can be worn for any occasion.

FITvigo products 2018 – download the new flyer on fitvigo.de



I SNUUTJe®

NEW ON BOARD

The Hamburg based trading house Waagen-Schmitt has decided to breathe new life into its product range: snuutje is here! A new favorite brand with family-orientation for a home filled with happy moments. The name says it all: snuutje is Low German for darling. Lovely products for the young family, no frills – just comfortable. Like the hanging nests for cuddling and dreaming.

snuutje.de

DON'T FORGET: POS & PROMO

Cardboard or multimedia? Shop-in-Shop system or counter display? PoS materials have to fit – that's why, in addition to proven standard solutions, we constantly develop new creative approaches with our customers. Contact us!





* of all Germans / Forsa Study p.p. DAK Gesundheit, 11/2017



ADE






Happy scales, clocks and alarms for the kitchen, bathroom and kids room. **ADE** goes big with Mouse, Elephant & Co. – not only for small Mouse fans.



There's lots to discover: two lines of design with Mouse and Elephant for kids and grown-ups – from friendship to adventure, in strong colors to a retro chic style. Not to forget the maritim Hamburg edition. All new products can be found in the current flyer or at ade-germany.com





WAAGEN-SCHMITT

General distribution for ADE consumer products worldwide Waagen-Schmitt GmbH Hammer Steindamm 27-29 · D-22089 Hamburg

mail consumer@ade-germany.com

tel +49-(0)40 - 43 13 59-0

fax +49-(0)40 - 43 13 59-99

ade-germany.com